

HPD UNIQUE IDENTIFIER: 26378

CLASSIFICATION: 09 29 00 Gypsum Board

PRODUCT DESCRIPTION: CertainTeed GlasRoc® Tile Backer is available in 1/2" and 5/8" thicknesses. GlasRoc® Tile Backer is a water-resistant gypsum panel product, with an engineered fiberglass face and back mat surface. GlasRoc® Tile Backer is designed to be used as a tile backer in interior wet areas such as bathrooms, laundry and utility rooms, kitchen backsplashes, countertops, and high humidity areas. GlasRoc® Tile Backer is typically used for adhering ceramic tile to walls in bathrooms, shower and tub enclosure walls, laundry and utility rooms, and kitchen backsplashes. 5/8" GlasRoc® Tile Backer is UL/cUL/ULC Classified for Fire Resistance and may be used in multiple UL/cUL/ULC fire-rated designs.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Considered in 3 of 3 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	---	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GLASROC® TILE BACKER BASE BOARD [CALCIUM SULFATE DIHYDRATE LT-UNK FIBERGLASS LT-UNK LIMESTONE BM-3dg QUARTZ BM-1 | CAN CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) BM-2 MAGNESIUM OXIDE BM-3dg | CAN FLY ASH LT-UNK UNDISCLOSED LT-UNK CALCIUM HYDROXIDE LT-P1 METHYLTRICHLOROSILANE LT-P1 | MAM | SKI | EYE | PHY SODIUM POLYNAPHTHALENESULFONATE LT-P1 | PBT POLY(METHYLHYDROSILOXANE) NoGS] GLASS-MAT INTERIOR FACE [LIMESTONE BM-3dg CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK POLYVINYL ALCOHOL (PRIMARY CASRN IS 9002-89-5) LT-UNK POLYACRYLIC ACID, SODIUM SALT LT-UNK] GLASS-MAT BACK SURFACE [CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK POLYVINYL ALCOHOL LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All raw materials have been screened through the HPD Builder Tool and all residuals and impurities have been noted when applicable.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER: GreenCircle Certified

VERIFICATION #: 6H3-11004

SCREENING DATE: 2021-11-01

PUBLISHED DATE: 2021-11-01

EXPIRY DATE: 2024-11-01

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-2-standard

GLASROC® TILE BACKER BASE BOARD %: 97.0000 - 99.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Gypsum Core Board

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

CALCIUM SULFATE DIHYDRATE

ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-01 12:25:41

%: 88.0000 - 98.8000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. Calcium Sulfate Dihydrate CAS# 10101-41-4 and Gypsum Rock CAS# 13397-24-5 are incorporated within this product. Although the manufacturers label the materials as two separate CAS# the GS warnings and rankings are identical as are the listings within Pharos. Suppliers are selected based on geographic location to reduce transportation emissions but in the end product has the same functionality and GS rankings. The % range has been verified by Green Circle Certified.

FIBERGLASS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-01 12:25:43

%: 0.1500 - 0.2800 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

LIMESTONE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-01 12:25:47

%: 0.0000 - 2.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers SDS and COAs. The % range has been verified by Green Circle Certified.

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:47**

#: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Quartz or Crystalline Silica is a naturally occurring impurity within the gypsum rock, it is intrinsically bound and does not harm the end user. The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified as well as on-going testing from RJ Lee Industrial Hygienists.

CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8)

ID: 60873-85-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:48**

#: **0.0000 - 0.5000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

MAGNESIUM OXIDE

ID: 1309-48-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:48**

#: **0.0000 - 0.5000** GS: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

FLY ASH

ID: 68131-74-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:49**

#: **0.0000 - 2.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:49**

#: **0.0000 - 0.4300** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

CALCIUM HYDROXIDE

ID: 1305-62-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:46**

#: **0.0000 - 5.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

METHYLTRICHLOROSILANE

ID: 75-79-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:46**

#: **0.0000 - 0.4000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Activator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

SODIUM POLYNAPHTHALENESULFONATE

ID: 9084-06-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-11-01 12:25:44		
#: 0.0000 - 0.3800	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans		

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified. Due to the potential health risks of this material, R&D is actively seeking a replacement. This material is bound within the matrix of the board and under proper handling the installer has minimal risk.

POLY(METHYLHYDROSILOXANE)

ID: 63148-57-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-11-01 12:25:45		
#: 0.0000 - 0.6000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers. The % range has been verified by Green Circle Certified.

GLASS-MAT INTERIOR FACE

#: **0.8000 - 1.2500**

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Glass
RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.		
OTHER MATERIAL NOTES: The raw material range of this Fiberglass Mat is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.		

LIMESTONE

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:42**%: **40.0000 - 70.0000** GS: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent provided by the veil supplier and the multiple veils that can be used based on availability. Each veil has the same ingredients but can range within the batch as well as within the specifications of the two qualified veils from the supplier. The % range has been verified by Green Circle Certified.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:42**%: **20.0000 - 60.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent provided by the veil supplier and the multiple veils that can be used based on availability. Each veil has the same ingredients but can range within the batch as well as within the specifications of the two qualified veils from the supplier. The % range has been verified by Green Circle Certified.

POLYVINYL ALCOHOL (PRIMARY CASRN IS 9002-89-5)

ID: 875587-24-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:44**%: **0.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent provided by the veil supplier and the multiple veils that can be used based on availability. Each veil has the same ingredients but can range within the batch as well as within the specifications of the two qualified veils from the supplier. The % range has been verified by Green Circle Certified.

POLYACRYLIC ACID, SODIUM SALT

ID: 9003-04-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:45**%: **0.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent provided by the veil supplier and the multiple veils that can be used based on availability. Each veil has the same ingredients but can range within the batch as well as within the specifications of the two qualified veils from the supplier. The % range has been verified by Green Circle Certified.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Naturally occurring impurities and residuals in the gypsum are evaluated through quality checks, data is available at the manufacturing locations.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and board thickness as well as ranges from alternate suppliers.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:41**%: **60.0000 - 95.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent provided by the veil supplier and the multiple veils that can be used based on availability. Each veil has the same ingredients but can range within the batch as well as within the specifications of the two qualified veils from the supplier. The % range has been verified by Green Circle Certified.

POLYVINYL ALCOHOL

ID: 9002-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-01 12:25:43**%: **5.0000 - 40.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent provided by the veil supplier and the multiple veils that can be used based on availability. Each veil has the same ingredients but can range within the batch as well as within the specifications of the two qualified veils from the supplier. The % range has been verified by Green Circle Certified.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All manufacturing facilities for ½” GlasRoc Tile Backer. CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5fa2fa5555b0e82e301185bb?page_type=Products%20Catalog	ISSUE DATE: 2020-11-03	EXPIRY DATE: 2022-03-11	CERTIFIER OR LAB: UL
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings ½” GlasRoc Tile Backer Certificate #186920-420 ½” GlasRoc Tile Backer - https://spot.ul.com/main-app/products/detail/5fa2fa5555b0e82e301185bb?page_type=Products%20Catalog ½” GlasRoc Tile Backer – https://www.certainteed.com/resources/1_2%20GlasRoc%20Tile%20Backer_GREENGUARD%20Gold%202022%20Expiration.pdf			

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All manufacturing facilities for 5/8” GlasRoc Tile Backer Type X. CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5fa2fa5455b0e82e301185b9?page_type=Products%20Catalog	ISSUE DATE: 2020-11-03	EXPIRY DATE: 2022-03-11	CERTIFIER OR LAB: UL
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings 5/8” GlasRoc Tile Backer Type X Certificate # 186919-420 5/8” GlasRoc Tile Backer - https://spot.ul.com/main-app/products/detail/5fa2fa5455b0e82e301185b9?page_type=Products%20Catalog 5/8” GlasRoc Tile Backer - https://www.certainteed.com/resources/5_8%20GlasRoc%20Tile%20Backer_GREENGUARD%20Gold%202022%20Expiration.pdf			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

All CertainTeed Gypsum wallboard products should be handled and installed per the requirements of the manufacturers SDS. This HPD fails Option 2 under LEED prescreen as the reporting limit of the sourced material is proprietary at the 1000 ppm threshold. For complete Safety and EHS information on any and all CertainTeed Gypsum Products please see <https://www.certainteed.com/drywall/>. Additional Transparency documentation can be found at <https://saintgobain.ecomedes.com/>

MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain
ADDRESS: 20 Moores Road
 Malvern PA 19355, United States
WEBSITE: <https://www.certainteed.com/drywall/>

CONTACT NAME: Mitchell Schittler
TITLE: Gypsum Technical Marketing Manager
PHONE: 610-893-6000
EMAIL: Mitchell.L.Schittler@saint-gobain.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.